IDHAYA COLLEGE FOR WOMEN, KUMBAKONAM



PG & RESEARCH DEPARTMENT OF COMPUTER SCIENCE

ACADEMIC YEAR : 2019 – 2020

SEMESTER : II

CLASS : I M.Sc(CS)

SUBJECT IN-CHARGE : Ms.M.VAISHNAVI

SUBJECT NAME : DISTRIBUTED TECHNOLOGIES

SUBJECT CODE : P16CS22

UNIT – V WEB SERVICES

Web services, Role of Web services in Distributed Computing, WSDL, UDDI, SOAP concepts involved in Web Services, Accessing and Implementation of a Web Service

Web Services

Web Services can convert your application into a Webapplication which can publish its function or message to the rest of the world.

- * The basic Web Services platform is XML + HTTP
- A application which run on web (Internet or Intranet) and provides generic services
- The services provided are through the web and in a standardized format which makes it generic and independent on the platform or the protocol on which the service was requested.

Web Services (cont...)

* Web services are open standard (XML, SOAP, HTTP etc.) based Web applications that interact with other web applications for the purpose of exchanging data.

- *** There are two types of Web services**
 - SOAP (JAX-WS, Java API for XML Web Services)
 - REST (JAX-RS, Java API for RESTful Web Services)

Why Web services?

Exposing the existing function on to network:

A Web service is a unit of managed code that can be remotely invoked using HTTP, that is, it can be activated using HTTP requests. So, Web Services allows you to expose the functionality of your existing code over the network. Once it is exposed on the network, other application can use the functionality of your program.

─ Connecting Different Applications i.e. Interoperability:

Web Services allows different applications to talk to each other and share data and services among themselves. Other applications can also use the services of the web services. For example VB or .NET application can talk to java web services and vice versa. So, Web services is used to make the application platform and technology independent.

Why Web services? (cont....)

□ Standardized Protocol:

Web Services uses standardized industry standard protocol for the communication. All the four layers (Service Transport, XML Messaging, Service Description and Service Discovery layers) uses the well defined protocol in the Web Services protocol stack. This standardization of protocol stack gives the business many advantages like wide range of choices, reduction in the cost due to competition and increase in the quality.

Low Cost of communication:

Web Services uses SOAP over HTTP protocol for the communication, so you can use your existing low cost internet for implementing Web Services. Beside SOAP over HTTP, Web Services can also be implemented on other reliable transport mechanisms like FTP etc.

Role of Web services in Distributed Computing

There are three major roles within the web service architecture


Service provider: This is the provider of the web service. The service provider implements the service and makes it available on the Internet.

Service requestor: This is any consumer of the web service.

The requestor utilizes an existing web service by opening a network connection and sending an XML request.

Service registry: This is a logically centralized directory of services. The registry provides a central place where developers can publish new services or find existing ones.

Web Service protocol stack



Components of Web Service

- * SOAP (Simple Object Access Protocol)
 - Protocol based on XML, used for message transfer
- * WSDL (Web Service Description Language)
- XML file used to describe the Web service and how to access them
- UDDI (Universal Description and Discovery Integration)
 Used to register and search for web service Directory
 of web service
- *** JAX-RPC**

For intercommunication

*** HTTP**

For message transfer

SOAP

- SOAP stands for Simple Object Access Protocol
- □ SOAP is a communication protocol
- SOAP is a format for sending messages
- SOAP is designed to communicate via Internet
- SOAP is platform independent
- SOAP is language independent
- SOAP is based on XML
- SOAP is simple and extensible
- SOAP allows you to get around firewalls
- SOAP is a W3C standard
 Soap is a W3

WSDL

- WSDL stands for Web Services Description Language
- * WSDL is based on XML
- * WSDL is used to describe Web services
- WSDL is used to locate Web services
- WSDL is a W3C standard
- WSDL is an XML-based language for locating and describing

Web services.

UDDI

- UDDI stands for Universal Description, Discovery and Integration
- * UDDI is a directory for storing information about web services
- * UDDI is a directory of web service interfaces described by WSDL
- * UDDI communicates via SOAP UDDI is a directory service where companies can register and search for Web services.

Security

Confidentiality If a client sends an XML request to a server, then question is that can we ensure that the communication remains confidential?

Answer lies here

- > XML-RPC and SOAP run primarily on top of HTTP.
- > HTTP has support for Secure Sockets Layer (SSL).
- Communication can be encrypted via the SSL.
- SSL is a proven technology and widely deployed.
- Authentication If a client connects to a web service, how do we identify the user? And is the user authorized to use the service? Following options can be considered but there is no clear consensus on a strong authentication scheme.
- HTTP includes built-in support for Basic and Digest authentication, and services can therefore be protected in much the same manner as HTML documents are currently protected.

Security (cont...)

Network Security

There is currently no easy answer to this problem, and it has been the subject of much debate. For now, if you are truly intent on filtering out SOAP or XML- RPC messages, one possibility is to filter out all HTTP POST requests that set their content type to text/xml.

Accessing and Implementation of a Web Service

Web Service is implemented by


⇔Build and Publish

***Find**

❖Bind and Invoke

How Web Service is implemented?

- Build and Publish
- Find
- Bind and Invoke



Implementation of a Web Service

- Pre ConditionsNo one will be able to use your service
- Step 1 :Build and PublishBuild
- Create your application
- Create your contract file (WSDL)

Publish

- Register your application as a web service onto any registry
- This process happens on UDDI using a separate SOAP request
- This process is useful only if your web service should be accessible using Internet

Post conditions

Your web service will be available to the Public (If published to any registry) or will be accessible to intranet users

Implementation of a Web Service

Pre Conditions

The user needs to access a service but is not aware of the service details

Step 2 :Find

Find

- Search in the registry for a service which provides your needs
- Obtain the necessary details about the service

Post conditions

The user will have all the details about the service and gets ready to contact the service

Implementation of a Web Service

□ Pre Conditions

The user will have the contract necessary to identify and call the service

☐ Step 3 :Bind

Bind

Use the contract file to build the request message.

Invoke

- Send a request to the service and request for the necessary operation available from the service.
- The request should be sent in the protocol which is required by the service

□ Post conditions

The user will receive the response from the service in a format specified in the contract file.

THANK YOU